



Photo Features 5"x5" Pattern Field Tile - Matte in Fida.



Attia - ATT  
DECCASATT55M - 5"x5" Field Tile - Matte



Ziane - ZIA  
DECCASZIA55M - 5"x5" Field Tile - Matte



Torres - TOR  
DECCASTOR55M - 5"x5" Field Tile - Matte



Anfa - ANF  
DECCASANF55M - 5"x5" Field Tile - Matte



Farissi - FAR  
DECCASFAR55M - 5"x5" Field Tile - Matte



Fida - FID  
DECCASFID55M - 5"x5" Field Tile - Matte



Gaza - GAZ  
DECCASGAZ55M - 5"x5" Field Tile - Matte



Rialto - RIA  
DECCASRIA55M - 5"x5" Field Tile - Matte



Kenzi - KEN  
DECCASKEN55M - 5"x5" Field Tile - Matte



Malik - MAL  
DECCASMAL55M - 5"x5" Field Tile - Matte



White - WHI  
DECCASWHI55M - 5"x5" Field Tile - Matte



White - WHI  
DECCASWHIJOLM - 1/2"x5" Jolly Trim - Matte





# Casablanca

Decorative (Glazed Ceramic)

Photo Features 5"x5" Field Tile - Matte in Gaza and White.


## SIZING & PACKAGING

Type	Shape	Item Code	Size	Description	Pcs / Ctn	Sf / Ctn
Wall		DECCAS...55M	5"x5"	Field Tile - Matte	32	5.27
Trim		DECCASWHIJOLM	1/2"x5"	Jolly White Trim - Matte	-	-

## ANSI TECHNICAL SPECIFICATIONS

	DCOF Acutest	PEI Rating ASTM# C1027	Frost Resistant ASTM# C1026	Scratch Resistance MOHS	Breaking Strength ASTM# C648	Water Absorption ASTM# C373	Chemical Resistance ASTM# C650
Results	N/A	3	Unaffected	8	ISO ≥ 1000 N	> 1.0 (Ceramic)	Unaffected

### Shade Variation



V2-Slight



Made in Spain



Glazed Ceramic

## APPLICATIONS

	Floors	Walls	Countertops	Shower Floors	Shower Walls	Pools/Spas
Residential	●	●			●	
Commercial		●			●	

## LEGEND

- Product rated for Interior & Exterior use
- Product rated for Interior use only
- † May be suitable for Exterior Floors
- ⊘ Applications & ANSI Technical Specifications do not apply
- \* Special Order only



These tiles are handmade and subject to color variation. Mix randomly from different boxes to balance variation.

Merchandising materials and samples are for general reference only and representative of a product's potential characteristics. Tile is subject to variation in color/shade, size, texture, and finish. Field, mosaic and trim tile may not match exactly. Blend tiles from different boxes to achieve consistent shade distribution. Installer and end user must conduct a dry mock layout under proper lighting conditions to inspect the product. Installation constitutes product acceptance. Improper installation, application, use, care and maintenance voids warranty. Reference the TCNA Handbook and ANSI for installation guidance. We reserve the right to make product changes at any time without notice.

10000026  
REV. 7/2021